

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

aSB249
.A3

ENTERED IN THE COMPUTER

COTTON VARIETIES PLANTED 1964 - 1968

AUG 18 204

LIBRARY
PLANT VARIETY PROTECTION OFFICE
U. S. DEPARTMENT OF AGRICULTURE



UNITED STATES DEPARTMENT OF AGRICULTURE
Consumer and Marketing Service Cotton Division
Memphis, Tennessee

July 1968

CONTENTS

<u>Table No.</u>		<u>Page No.</u>
	Introduction	1
	Leading Varieties.	1
	Map of Smith-Doxey Classing Office Territories	2
1.	Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1967-68	3
2.	Varieties by states	
	Virginia, North Carolina, South Carolina, Georgia.	4
	Florida, Alabama, Mississippi, Illinois.	5
	Kentucky, Tennessee, Missouri, Arkansas.	6
	Louisiana, Oklahoma, Texas, New Mexico	7
	Arizona, Nevada, California.	8
3.	Raleigh Classing Office, varieties by counties	9
4.	Columbia Classing Office, varieties by counties.	10
5.	Augusta Classing Office, varieties by counties	11
6.	Atlanta Classing Office, varieties by counties	11
7.	Birmingham Classing Office, varieties by counties.	12
8.	Montgomery Classing Office, varieties by counties.	13
9.	Greenwood Classing Office, varieties by counties	14
10.	Jackson Classing Office, varieties by counties	14
11.	Memphis Classing Office, varieties by counties	15
12.	Hayti Classing Office, varieties by counties	16
13.	Blytheville Classing Office, varieties by counties	16
14.	Little Rock Classing Office, varieties by counties	17
15.	Winnsboro Classing Office, varieties by counties	18
16.	Alexandria Classing Office, varieties by counties.	18
17.	Altus Classing Office, varieties by counties	19
18.	Dallas Classing Office, varieties by counties.	20
19.	Austin Classing Office, varieties by counties.	21
20.	Corpus Christi Classing Office, varieties by counties.	21
21.	Harlingen Classing Office, varieties by counties	22
22.	Abilene Classing Office, varieties by counties	22
23.	Lubbock Classing Office, varieties by counties	23
24.	El Paso Classing Office, varieties by counties	24
25.	Carlsbad Classing Office, varieties by counties.	24
26.	Phoenix Classing Office, varieties by counties	25
27.	Fresno Classing Office, varieties by counties.	25
28.	Bakersfield Classing Office, varieties by counties	26
29.	El Centro Classing Office, varieties by counties	26
30.	Estimated percentage of American-Egyptian cotton acreage planted to specified varieties, by states, 1964-1968.	27
31.	Estimated percentage of American-Egyptian cotton acreage planted to specified varieties, by classing office territories, crop of 1968.	28

Cotton Varieties Planted, United States
1964-1968

Estimates of the percentages of the various varieties of cotton planted in the United States in 1968, by counties, Smith-Doxey cotton classing office territories and states are presented in this report. Comparative variety data for the four years 1964-1967 are shown by states. A preliminary report containing percentage distributions of cotton varieties planted by counties and cotton classing office territories in the early harvesting sections of south Texas was published in mid-June.

The variety data presented herein are based primarily on estimates furnished by cotton ginner for the territories served by their gins. Supplemental information is obtained by others closely related with cotton farming in their respective areas, such as seed breeders, seed dealers, farmers and county agents. These estimates should serve as reliable guides as to the geographic distribution of various varieties grown throughout the Cotton Belt.

Over 60 percent of the cotton acreage planted in the United States is planted to three leading varieties - Stoneville, Acala and Deltapine. A percentage distribution of the six leading general varieties planted in 1968, with comparisons for the four preceding years, is shown at the foot of this page. All strains of each particular variety are combined for the purpose of this comparison.

Stoneville continues as the leading variety of cotton planted in the United States by a slight margin, representing slightly over 21 percent of the total 1968 acreage. This compares with 20 percent in the two preceding years. Stoneville is the principal variety grown in Arkansas, Mississippi, Missouri and Louisiana. Stoneville 213, the predominating Stoneville strain, accounts for 15 percent of the total acreage planted this year.

Acala is the second leading variety of cotton planted this season. Estimates indicate that this variety accounts for nearly 21 percent of total acreage, as compared with 17 percent a year earlier. The increase in acreage planted to Acala is mainly a result of the continued gain in popularity of the Acala 1517 strains, which now comprise about seven percent of the total United States acreage. Acala is the principal variety planted in California, New Mexico and southwest Texas (Carlsbad and El Paso classing office territories).

Deltapine is the third leading variety of cotton planted this year with 19 percent of the total acreage against 17 percent last year. The two most popular Deltapine strains, DPL Smooth Leaf and DPL 16, represent ten and eight percent, respectively, of the total United States cotton acreage this season.

Lankart continues to hold its place as the fourth leading variety. The proportion of the total acreage planted to this variety, however, dropped considerably this year and accounted for nine percent of the total compared with 14 percent a year earlier. Lankart 57, the major Lankart strain represents seven percent of the total 1968 planted acreage.

Coker continues to grow in importance and this year accounts for eight percent of total cotton acreage against five percent a year earlier. The sixth leading variety this year is Paymaster with seven percent of the total acreage compared with five percent a year ago. Increased acreage planted to these two varieties is due primarily to the rising popularity of the Coker 413 and Paymaster 111 strains.

The leading Pima strain of American-Egyptian cotton planted in 1968 is Pima S-4. This relatively new strain replaces Pima S-2, the former leader. Pima S-4 accounts for most of the acreage planted to American-Egyptian cotton in Arizona and California. Pima S-3 gained in popularity in New Mexico this year but the leader in that state as well as in Texas remains Pima S-2.


Estimated percentage of cotton acreage planted to specified varieties, United States, 1964-1968

Year	Acala	Coker	Delta- pine	Lankart	Pay- master	Stone- ville	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1964	13	6	25	11	2	13	30	100
1965	14	4	22	11	2	18	29	100
1966	13	2	19	13	4	20	29	100
1967	17	5	17	14	5	20	22	100
1968	21	8	19	9	7	21	15	100

1/ Includes small acreages planted to varieties other than those specified.

UNITED STATES

Smith-Doxey Cotton Classing Office Territories



UNITED STATES DEPARTMENT OF AGRICULTURE

CONSUMER AND MARKETING SERVICE

Table 1. Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1967-68 ^{1/}

Variety	Sampling offices	Lots tested	Staple length	Micro- naire 2/	Fiber strength 3/		Fibrograph 4/	
					0-gage	1/8"-gage	2.5% Span length	50/2.5% uniformity
	No.	No.	32d in.	Rdg.	Mps1	G/tex	In.	Pct.
Anton	1	3	29	4.6	85	20.9	0.93	44
Gregg	1	3	30	3.9	79	21.2	0.90	46
Lankart 57	8	40	30	4.4	77	19.4	0.93	44
Paymaster 101A	1	3	30	2.9	80	22.9	0.96	43
Rilcot 90	1	2	30	3.7	86	22.7	0.88	46
Lankart 611	2	6	31	3.6	76	19.8	0.93	45
Paymaster 202	2	6	31	3.4	84	22.8	0.94	46
Western Stormproof	2	6	31	3.3	79	19.7	0.96	44
Lockett 4789	3	14	32	4.4	82	21.6	0.99	44
Paymaster 111	3	9	32	3.6	82	22.2	1.00	43
Atlas	1	3	33	4.0	88	26.0	1.09	47
Carolina Queen	6	19	34	4.3	78	20.5	1.06	44
Coker 100	5	14	34	4.2	76	20.7	1.08	44
Dixie King II	5	15	34	4.0	79	21.1	1.04	44
DPL Smooth Leaf	11	56	34	4.2	80	22.3	1.08	43
DPL 45	2	6	34	4.2	80	22.4	1.06	46
DPL 45A	3	10	34	3.9	79	22.9	1.09	44
Imperial Acala	1	3	34	4.3	97	26.4	1.04	43
McNair 1032	2	8	34	4.0	78	21.0	1.04	44
Stoneville 7A	7	25	34	4.2	84	21.5	1.08	44
Stoneville 213	12	51	34	4.1	79	22.0	1.07	44
Acala SJ-1	2	24	35	4.4	99	27.9	1.12	44
Auburn M	1	3	35	3.8	77	21.6	1.08	44
Coker 201	2	4	35	3.9	80	22.4	1.10	45
Coker 413	9	27	35	3.6	83	23.6	1.13	44
Delfos 9169	1	3	35	3.6	80	22.3	1.12	43
DPL 15A	1	3	35	3.7	77	22.1	1.10	43
DPL 16	2	7	35	4.0	80	22.8	1.10	42
Hopicala	1	3	35	4.1	100	28.1	1.08	45
Rex Smooth Leaf	3	11	35	3.7	80	21.7	1.08	45
Acala 4-42	1	3	36	4.2	96	27.7	1.14	44
Acala 1517D	1	3	36	3.6	94	25.8	1.14	43
Stoneville 508	2	6	36	3.1	82	23.2	1.18	41
Acala 1517BR	3	8	37	3.7	93	26.9	1.17	45
Acala 1517C	3	8	37	3.6	91	25.4	1.19	44
Acala 1517V	1	3	37	3.6	92	25.4	1.18	44

- 1/ Compiled from "Summary of Cotton Fiber and Spinning Test Results, Crop of 1967", USDA, C&MS, Cotton Division, April 1968.
- 2/ Micronaire reading is a measure of fiber fineness and maturity. This test measures resistance of a plug of cotton to air flow.
- 3/ Fiber strength indicates ability of cotton fibers to withstand force or tension, and has a strong bearing on spinning utility. "0" gage fiber strength test made without a spacer between clamp jaws using Pressley flat bundle tester. 1/8" gage strength test made with 1/8" spacer between clamp jaws using Stelometer and results are adjusted to the Pressley level.
- 4/ Digital Fibrograph 2.5% span length indicates length spanned by 2.5 percent of the fibers when they are parallel and randomly distributed. This measure is closely related to staple length designations. Digital Fibrograph 50/2.5 uniformity ratio values indicate relative uniformity of fiber length in samples.

Table 2. Estimated percentage of cotton acreage planted to specified varieties, by states, 1964-1968

Virginia

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 413	DeKalb	McNair 1032	Rex	Other <u>1/</u>	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1964	11,477	4	74	-	-	4	-	17	1	100
1965	6,481	23	55	-	-	4	-	17	1	100
1966	2,215	41	36	-	-	2	5	16	-	100
1967	148	65	12	10	4	-	6	2	1	100
1968	-	8	-	61	3	-	28	-	-	100

North Carolina

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 413	Dixie King	McNair 1032	Rex	Other <u>1/</u>	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1964	388,227	27	42	-	-	1	-	28	2	100
1965	235,760	46	32	-	-	1	2	18	1	100
1966	100,846	43	17	-	4	1	29	6	*	100
1967	47,780	31	5	17	24	1	19	1	2	100
1968	-	4	4	40	25	-	26	-	1	100

South Carolina

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 413	Dixie King	McNair 1032	Rex	Other <u>1/</u>	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1964	564,796	37	56	-	-	3	-	1	3	100
1965	507,187	65	30	-	*	1	-	2	2	100
1966	289,233	80	13	-	2	1	4	*	*	100
1967	184,207	44	7	9	38	*	2	*	*	100
1968	-	7	1	36	55	*	1	-	*	100

Georgia

Season beginning August 1	Ginnings	Atlas	Carolina Queen	Coker 100	Coker 201	Coker 413	Dixie King	Empire	Other <u>1/</u>	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1964	616,851	-	31	35	-	-	8	11	15	100
1965	561,553	-	53	25	-	-	8	6	8	100
1966	316,886	-	69	15	-	-	5	3	8	100
1967	229,249	1	56	11	*	20	5	2	5	100
1968	-	21	8	*	6	63	1	*	1	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 2. Estimated percentage of cotton acreage planted to specified varieties, by states, 1964-1968 (Continued)

Florida

Season beginning August 1	Ginnings	Auburn	Carolina Queen	Coker 100	Coker 201	Coker 413	McNair 1032	Wannamaker All-in-one	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1964	13,555	23	23	41	-	-	-	1	12	100
1965	12,185	12	37	35	-	-	-	2	14	100
1966	8,490	4	75	15	-	-	-	-	6	100
1967	7,178	1	49	16	-	10	9	7	8	100
1968	-	*	4	4	26	46	15	5	*	100

Alabama

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 413	Delta-pine	Dixie King	McNair 1032	Stone-ville	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1964	887,462	12	20	-	5	26	-	3	34	100
1965	849,077	23	15	-	6	27	-	3	26	100
1966	463,192	30	10	-	2	28	1	8	21	100
1967	198,432	28	9	10	2	23	5	7	16	100
1968	-	10	3	56	3	8	9	4	7	100

Mississippi

Season beginning August 1	Ginnings	Coker 413	DPL 15A	DPL 16	DPL 45A	DPL Smooth Leaf	Stone-ville 7A	Stone-ville 213	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1964	2,223,221	-	-	-	*	58	4	24	14	100
1965	2,019,494	-	-	-	-	51	3	36	10	100
1966	1,352,742	-	-	-	-	44	3	45	8	100
1967	1,061,650	2	2	-	3	36	4	48	5	100
1968	-	4	2	12	2	29	3	44	4	100

Illinois

Season beginning August 1	Ginnings	Auburn	Delta-pine	Fox	Rex	Stone-ville 213	Other 1/	---	---	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1964	1,955	-	-	65	35	-	-	-	-	100
1965	1,221	1	9	28	28	34	-	-	-	100
1966	176	-	32	30	8	30	-	-	-	100
1967	-	-	-	70	-	30	-	-	-	100
1968	-	-	-	15	-	85	-	-	-	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 2. Estimated percentage of cotton acreage planted to specified varieties, by states, 1964-1968 (Continued)

Kentucky

Season beginning August 1	Ginnings	DPL 45	DPL 45A	DPL Smooth Leaf	Dixie King	Fox	Rex	Stone-ville 213	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1964	4,493	-	-	48	-	5	35	-	12	100
1965	5,089	9	-	40	-	4	36	5	6	100
1966	1,374	24	-	42	3	3	20	8	-	100
1967	180	14	-	38	-	4	5	38	1	100
1968	-	-	8	50	-	-	2	40	-	100

Tennessee

Season beginning August 1	Ginnings	Auburn M	Coker 413	Delta-pine	DPL Smooth Leaf	Dixie King	Rex	Stone-ville 213	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1964	665,691	*	-	6	32	25	7	9	21	100
1965	626,913	4	-	5	28	27	7	13	16	100
1966	363,372	2	-	4	24	34	6	15	15	100
1967	146,130	4	4	2	22	35	6	16	11	100
1968	-	7	8	7	25	18	2	27	6	100

Missouri

Season beginning August 1	Ginnings	Auburn M	Coker	DPL 45A	DPL Smooth Leaf	Rex	Stone-ville 7A	Stone-ville 213	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1964	419,088	8	*	-	11	25	18	23	15	100
1965	393,091	5	-	-	11	19	9	43	13	100
1966	164,573	5	-	-	5	21	14	38	17	100
1967	60,088	8	4	8	3	9	18	43	7	100
1968	-	15	3	11	*	4	9	54	4	100

Arkansas

Season beginning August 1	Ginnings	Delfos	Delta-pine	DPL Smooth Leaf	Rex	Rex Smooth Leaf	Stone-ville 7A	Stone-ville 213	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1964	1,583,169	8	3	26	19	6	15	18	5	100
1965	1,445,430	7	3	21	6	11	15	33	4	100
1966	763,896	5	5	19	4	8	18	36	5	100
1967	503,251	4	11	18	2	5	18	38	4	100
1968	-	2	13	14	*	4	11	49	7	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 2. Estimated percentage of cotton acreage planted to specified varieties, by states, 1964-1968 (Continued)

Louisiana

Season beginning August 1	Ginnings	Carolina Queen	Coker 413	DPL 16	DPL 45A	DPL Smooth Leaf	Stone-ville 7A	Stone-ville 213	Other 1/	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1964	587,905	1	-	-	-	62	12	17	8	100
1965	558,890	1	-	-	-	53	8	27	11	100
1966	448,766	1	-	-	-	50	7	32	10	100
1967	429,983	-	2	-	6	49	5	32	6	100
1968	-	*	3	8	10	36	4	36	3	100

Oklahoma

Season beginning August 1	Ginnings	DPL Smooth Leaf	Dunn	Lankart	Lockett	Pay-master	Stone-ville	West-burn	Other 1/	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1964	278,065	5	-	59	1	*	6	-	29	100
1965	357,739	2	-	59	2	2	3	-	19	100
1966	210,952	8	-	64	4	2	3	-	19	100
1967	189,596	8	-	68	5	6	3	1	9	100
1968	-	6	5	49	12	8	5	4	11	100

Texas

Season beginning August 1	Ginnings	Acala	DPL Smooth Leaf	Lankart	Lockett	Pay-master	Stone-ville	Western Storm-proof	Other 1/	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1964	4,034,329	4	4	34	2	8	9	7	32	100
1965	4,602,290	5	6	36	2	9	12	6	24	100
1966	3,125,486	4	4	37	3	12	12	8	20	100
1967	2,694,646	6	3	38	3	15	14	6	15	100
1968	-	13	3	20	7	20	17	2	18	100

New Mexico

Season beginning August 1	Ginnings	Acala 1517BR	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517 Stroman	Hopicala	Rilcot	Other 1/	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1964	221,067	15	29	37	*	-	-	3	16	100
1965	205,660	17	33	36	1	1	-	1	11	100
1966	157,639	7	17	36	19	5	-	5	11	100
1967	138,420	12	34	18	22	3	1	1	9	100
1968	-	14	14	22	34	4	5	2	5	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 2. Estimated percentage of cotton acreage planted to specified varieties, by states, 1964-1968 (Continued)

Arizona

Season beginning August 1	Ginnings	Acala 4-42	Acala 1517C	Acala 1517D	DPL 16	DPL Smooth Leaf	Hopicala	Stone-ville	Other <u>1/</u>	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1964	739,371	1	5	3	-	84	-	5	2	100
1965	738,649	11	4	3	-	69	1	5	7	100
1966	475,828	2	3	3	-	77	3	6	6	100
1967	415,360	7	3	3	-	65	8	4	10	100
1968	-	1	2	4	70	7	7	5	4	100

Nevada

Season beginning August 1	Ginnings	Acala 4-42	Acala 1517C	Acala 1517D	Acala 1517V	Acala SJ-1	DPL Smooth Leaf	Hopicala	Other <u>1/</u>	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1964	5,045	*	97	-	-	-	2	-	1	100
1965	3,806	1	93	6	-	-	-	*	*	100
1966	3,534	1	66	24	7	-	-	2	-	100
1967	3,950	-	17	26	57	-	-	-	-	100
1968	-	-	8	7	73	12	-	-	-	100

California

Season beginning August 1	Ginnings	Acala 4-42	Acala SJ-1	Imperial Acala	Del Cerro	DPL 16	DPL Smooth Leaf	Stone-ville	Other <u>1/</u>	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1964	1,786,547	87	-	-	-	-	13	*	*	100
1965	1,716,777	87	-	-	*	-	12	1	-	100
1966	1,241,997	86	-	-	1	-	9	1	3	100
1967	1,056,153	3	87	4	*	1	5	*	*	100
1968	-	4	87	*	-	7	1	1	*	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 3. Raleigh Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Carolina Queen	Coker 100A	Coker 201	Coker 413	McNair 1032	Other 1/	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>North Carolina:</u>									
Anson	5	3,844	16	6	39	19	20	-	100
Cleveland	13	2,919	3	-	59	36	-	2	100
Edgecombe	5	1,148	11	1	23	10	55	-	100
Franklin	6	193	15	9	7	14	55	-	100
Halifax	11	2,045	2	5	45	16	32	-	100
Harnett	3	887	-	-	39	61	-	-	100
Iredell	4	71	10	13	38	36	3	-	100
Johnston	4	318	4	-	28	9	58	1	100
Nash	8	1,305	7	-	20	10	63	-	100
Northhampton	12	1,587	-	4	52	17	26	1	100
Pitt	3	364	2	-	59	4	35	-	100
Robeson	14	9,276	5	5	31	42	17	-	100
Rowan	3	279	4	6	51	33	6	-	100
Rutherford	3	302	9	18	42	31	-	-	100
Sampson	6	1,014	-	2	48	33	17	-	100
Scotland	7	14,779	-	5	47	10	35	3	100
Union	5	1,598	3	3	26	58	10	-	100
Warren	3	94	6	1	6	51	32	4	100
Wilson	6	395	2	-	23	16	59	-	100
All other	22	5,362	4	3	37	34	22	-	100
Total	143	47,780	4	4	40	25	26	1	100
<u>Virginia:</u>									
Total	7	148	8	-	61	3	28	-	100
Classing Office Total	150	47,928	4	4	40	25	26	1	100

1/ Includes small acreages planted to varieties other than those specified.

Table 4. Columbia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Acala 1517	Carolina Queen	Coker 100	Coker 201	Coker 413	Dixie King	McNair 1032	Other 1/	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>South Carolina:</u>											
Abbeville	3	2,424	-	8	-	12	80	-	-	-	100
Aiken	6	4,925	-	-	-	50	48	-	-	2	100
Anderson	10	4,097	-	5	-	-	88	5	-	2	100
Bamberg	4	7,049	-	18	-	70	2	-	10	-	100
Barnwell	4	2,674	-	-	-	53	37	-	10	-	100
Calhoun	6	7,141	-	7	1	85	4	-	3	-	100
Cherokee	3	1,122	-	-	-	17	83	-	-	-	100
Chester	4	1,298	-	7	-	60	33	-	-	-	100
Chesterfield	3	2,483	-	18	-	35	47	-	-	-	100
Clarendon	13	16,927	-	4	-	2	94	-	-	-	100
Darlington	7	8,825	-	-	-	45	55	-	-	-	100
Dillon	9	7,425	-	2	-	30	68	-	-	-	100
Dorchester	3	1,491	-	2	-	22	76	-	-	-	100
Edgefield	5	2,029	-	58	-	23	13	6	-	-	100
Florence	9	7,667	-	5	1	14	76	-	4	-	100
Hampton	5	3,087	-	23	-	4	73	-	-	-	100
Lancaster	3	1,556	-	6	-	57	37	-	-	-	100
Laurens	6	1,786	-	7	-	12	81	-	-	-	100
Lee	13	19,356	-	4	-	13	83	-	-	-	100
Lexington	3	3,259	-	5	-	-	95	-	-	-	100
Marion	3	1,264	-	21	-	-	79	-	-	-	100
Marlboro	12	15,541	-	3	-	45	52	-	-	-	100
Orangeburg	26	23,901	-	1	-	78	20	-	-	1	100
Spartanburg	5	1,827	-	25	-	5	70	-	-	-	100
Sumter	15	17,736	-	-	-	49	51	-	-	-	100
Williamsburg	6	4,580	-	11	-	24	53	-	12	-	100
York	4	2,527	6	20	-	24	44	-	-	6	100
All other	24	10,210	-	30	8	15	46	-	-	1	100
Classing Office Total	214	184,207	*	7	1	36	55	*	1	*	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 5. Augusta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Atlas	Carolina Queen	Coker 100	Coker 201	Coker 413	Dixie King	---	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Georgia:</u>											
Bullock	5	2,422	12	12	-	-	76	-	-	-	100
Burke	13	14,287	79	1	-	-	20	-	-	-	100
Candler	3	1,166	-	76	-	-	24	-	-	-	100
Emanuel	5	4,750	55	2	-	2	41	-	-	-	100
Jefferson	9	9,326	11	23	-	10	56	-	-	-	100
Johnson	4	5,248	22	18	4	32	24	-	-	-	100
Laurens	7	11,262	2	9	1	22	65	1	-	-	100
Morgan 1/	7	4,328	45	-	-	-	-	55	-	-	100
Screven	5	6,169	1	7	-	-	92	-	-	-	100
Toombs	4	2,259	3	4	-	-	93	-	-	-	100
Washington	6	6,933	29	-	-	37	34	-	-	-	100
All other	28	17,077	21	11	3	-	65	-	-	-	100
Classing Office Total	96	85,227	29	9	1	10	48	3	-	-	100

1/ Includes the portion of the county served by Atlanta Classing Office.

Table 6. Atlanta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Atlas	Carolina Queen	Coker 201	Coker 413	Dixie King	Empire	McNair 1032	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Georgia:</u>											
Bartow	6	1,735	45	4	-	43	6	2	-	-	100
Bleckley	3	5,041	5	10	-	85	-	-	-	-	100
Brooks	4	685	-	20	-	44	-	13	-	23	100
Calhoun	3	3,537	-	-	1	98	-	-	-	1	100
Colquitt	9	14,756	32	-	-	65	-	-	-	3	100
Coweta	3	790	43	-	-	57	-	-	-	-	100
Crisp	4	8,015	4	-	4	84	-	-	6	2	100
Dodge	3	2,753	3	24	-	73	-	-	-	-	100
Dooly	11	18,862	-	-	-	100	-	-	-	-	100
Floyd	4	318	-	3	-	81	11	-	-	5	100
Hart	4	2,974	-	6	3	84	-	-	-	7	100
Macon	4	4,759	-	13	-	85	-	-	-	2	100
Meriwether	4	1,365	19	-	-	80	-	-	-	1	100
Mitchell	4	2,454	5	1	-	94	-	-	-	-	100
Morgan 2/	-	-	-	-	-	-	-	-	-	-	-
Oconee	3	1,463	82	-	-	12	6	-	-	-	100
Pike	3	1,543	43	43	-	14	-	-	-	-	100
Pulaski	3	5,005	-	50	10	40	-	-	-	-	100
Sumter	5	6,001	7	7	26	60	-	-	-	-	100
Taylor	7	6,880	44	-	-	53	-	-	-	3	100
Terrell	4	7,170	1	-	-	93	-	-	6	-	100
Tift	3	3,152	4	7	4	80	-	4	-	1	100
Turner	3	5,920	60	11	18	11	-	-	-	-	100
Walton	5	3,718	42	-	-	54	4	-	-	-	100
Wilcox	4	4,346	-	36	5	59	-	-	-	-	100
Worth	5	5,689	1	-	31	68	-	-	-	-	100
All other	41	25,091	25	5	1	68	-	-	1	-	100
Total	152	144,022	17	7	4	70	*	*	1	1	100
<u>Florida:</u>											
Total	1	234	-	20	-	20	-	20	-	40	100
Classing Office Total	153	144,256	17	7	4	70	*	*	1	1	100

1/ Includes small acreages planted to varieties other than those specified.

2/ Data for Morgan County shown in Table 5, Augusta Classing Office.

* Less than 0.5 percent.

Table 7. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Carolina Queen	Coker 201	Coker 413	Dixie King 2	DPL Smooth Leaf	McNair 1032	Stone- ville 213	Other 1/	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Alabama:</u>											
Blount	4	544	18	-	21	22	4	16	-	19	100
Calhoun	4	1,559	29	-	10	42	19	-	-	-	100
Cherokee	12	6,464	-	44	22	31	-	-	-	3	100
Colbert	6	1,677	-	-	39	-	5	8	11	37	100
Cullman	19	1,079	11	-	59	25	1	-	3	1	100
DeKalb	21	298	3	29	33	32	-	2	-	1	100
Etowah	5	1,288	4	5	60	31	-	-	-	-	100
Fayette	3	2,713	48	-	13	22	-	-	-	17	100
Franklin	4	1,020	15	-	78	1	-	1	1	4	100
Jackson	9	306	8	13	47	6	-	-	24	2	100
Lamar	4	3,045	13	-	19	12	35	14	-	7	100
Lauderdale	11	2,396	3	-	9	6	28	4	44	6	100
Lawrence	15	4,007	6	4	11	10	4	*	52	13	100
Limestone	19	3,109	*	-	17	-	10	1	68	4	100
Madison	23	2,275	17	1	23	15	2	1	23	18	100
Marion	4	1,232	3	-	69	8	-	3	13	4	100
Marshall	16	941	7	-	8	12	19	18	34	2	100
Morgan	12	1,648	2	-	21	7	5	1	37	27	100
Pickens	6	5,840	6	-	1	73	13	2	1	4	100
Randolph	3	267	72	-	-	9	-	-	-	19	100
Shelby	3	4,238	-	-	34	-	-	37	-	29	100
Tuscaloosa	5	6,352	1	-	88	4	-	3	-	4	100
All other	7	2,387	5	-	71	4	-	19	-	1	100
Classing Office Total	215	54,685	8	6	33	19	7	6	13	8	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 8. Montgomery Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Auburn 56	Carolina Queen	Coker 100	Coker 201	Coker 413	Dixie King 2	McNair 1032	Other 1/	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Alabama:</u>											
Autauga	3	6,162	-	-	-	-	100	-	-	-	100
Barbour	4	3,833	-	17	1	9	70	3	-	-	100
Butler	3	2,602	3	11	-	-	78	-	5	3	100
Conecuh	4	3,765	-	10	-	-	81	-	4	5	100
Covington	4	4,004	-	-	-	-	96	-	2	2	100
Crenshaw	4	2,479	-	16	8	9	64	-	3	-	100
Dallas	9	14,014	2	5	-	22	49	4	16	2	100
Elmore	6	8,891	2	-	8	-	79	-	9	2	100
Escambia	3	6,116	-	2	12	9	76	-	1	-	100
Geneva	6	4,657	2	20	11	-	63	1	-	3	100
Greene	3	5,871	-	6	-	1	71	12	4	6	100
Hale	6	9,255	-	24	-	5	66	-	4	1	100
Houston	7	3,278	-	1	1	-	93	1	1	3	100
Lowndes	4	3,369	-	49	14	-	28	-	9	-	100
Macon	4	8,270	2	5	-	-	49	-	41	3	100
Marengo	3	5,972	-	4	-	3	89	-	2	2	100
Monroe	5	9,111	-	27	25	-	47	-	1	-	100
Montgomery	5	3,406	-	10	-	-	90	-	-	-	100
Perry	3	4,538	6	8	-	-	62	8	8	8	100
Pike	3	858	26	13	-	-	33	-	26	2	100
Russell	3	3,791	-	31	-	2	41	24	1	1	100
Sumter	4	3,114	2	32	4	-	27	31	3	1	100
Wilcox	4	4,956	-	15	-	-	75	-	7	3	100
All other	19	21,435	1	8	4	-	58	3	22	4	100
Total	119	143,747	1	11	4	4	65	3	10	2	100
<u>Florida:</u>											
Total	4	6,944	-	4	4	26	46	-	15	5	100
Classing Office Total	123	150,691	1	11	4	5	64	3	10	2	100

1/ Includes small acreages planted to varieties other than those specified.

Table 9. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Coker 413	DPL Smooth Leaf	DPL 15A	DPL 16	DPL 45A	Stone-ville 7A	Stone-ville 213	Other <u>1/</u>	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Mississippi:</u>											
Bolivar	45	115,585	-	34	11	32	1	-	22	-	100
Carroll	4	6,393	-	34	-	-	-	-	63	3	100
Coahoma	40	86,361	-	9	-	2	-	8	80	1	100
De Soto <u>2/</u>	4	5,392	8	-	-	31	-	-	61	-	100
Holmes	18	40,013	11	57	-	6	-	-	23	3	100
Humphreys	15	40,988	13	53	-	-	-	-	34	-	100
Issaquena	3	6,183	-	52	-	27	-	-	21	-	100
Leflore	29	69,246	-	48	-	12	-	6	33	1	100
Madison <u>3/</u>	3	7,058	-	55	-	-	-	-	42	3	100
Panola <u>2/</u>	8	13,558	-	4	-	-	9	-	82	5	100
Quitman	20	47,836	-	14	-	1	5	1	75	4	100
Sharkey	14	26,031	-	35	-	26	3	-	36	-	100
Sunflower	37	127,358	1	11	9	3	-	14	60	2	100
Tallahatchie	22	47,567	-	60	-	8	8	1	22	1	100
Tunica	18	28,886	45	7	-	10	8	2	28	-	100
Washington	39	108,022	-	-	-	41	10	-	47	2	100
Yazoo	14	45,465	6	22	-	20	-	-	48	4	100
All other	5	7,280	-	55	-	1	1	6	28	9	100
Classing Office Total	338	829,222	3	25	3	15	3	4	45	2	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Memphis Classing Office.

3/ A portion of this county is served by Jackson Classing Office.

Table 10. Jackson Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Carolina Queen	Coker 201	Coker 413	DPL Smooth Leaf	DPL 16	DPL 45A	Stone-ville 213	Other <u>1/</u>	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Mississippi:</u>											
Amite	4	1,208	-	-	-	91	-	-	9	-	100
Attala	5	6,582	-	1	6	22	-	-	71	-	100
Clay	4	2,084	1	-	1	88	1	-	9	-	100
Copiah	4	4,234	9	-	-	45	-	-	25	21	100
Hinds	7	12,223	-	-	1	48	7	-	44	-	100
Jefferson Davis	4	4,835	22	-	3	52	-	3	20	-	100
Lauderdale	3	2,135	64	-	25	6	-	-	-	5	100
Leake	4	8,186	-	38	1	50	-	-	11	-	100
Lowndes	7	6,257	14	-	6	73	-	-	7	-	100
Madison <u>2/</u>	7	15,397	-	-	34	10	2	-	54	-	100
Marion	3	1,989	13	-	20	56	-	-	11	-	100
Montgomery <u>2/</u>	3	3,011	-	-	-	67	-	-	33	-	100
Noxubee	5	5,439	-	-	-	85	1	-	14	-	100
Scott	3	4,149	-	1	8	83	5	-	2	1	100
Walthall	3	1,417	37	-	-	50	-	-	13	-	100
Webster	5	5,499	1	-	2	23	-	-	74	-	100
Winston	4	7,104	25	5	9	30	5	-	20	6	100
All other	26	33,181	16	5	8	40	2	2	25	2	100
Total	101	124,930	9	4	9	44	2	1	30	1	100
<u>Louisiana:</u>											
Total	3	1,021	2	-	-	55	-	-	43	-	100
Classing Office Total	104	125,951	9	4	9	43	2	1	31	1	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Greenwood Classing Office.

Table 11. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Auburn M	Coker 413	DPL Smooth Leaf	DPL 16	Dixie King 2	Rex Smooth Leaf	Stoneville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Tennessee:</u>											
Carroll	12	4,276	23	1	3	2	39	-	16	16	100
Chester	6	2,147	1	-	63	-	31	-	-	5	100
Crockett	12	14,536	1	5	25	4	12	-	43	10	100
Dyer	15	8,178	-	24	7	1	5	1	60	2	100
Fayette	15	10,532	8	1	34	1	2	1	46	7	100
Gibson	20	18,785	12	18	8	4	2	-	32	24	100
Hardeman	10	5,968	1	-	39	1	9	12	37	1	100
Hardin	3	907	-	-	46	-	24	5	25	-	100
Haywood	18	15,384	8	14	45	3	19	-	10	1	100
Henderson	9	1,488	-	-	7	-	33	7	50	3	100
Lake	6	2,332	-	-	33	14	-	2	38	13	100
Lauderdale	15	15,574	6	16	13	2	27	-	30	6	100
Lawrence	7	1,172	-	2	-	-	57	18	14	9	100
Lincoln	5	925	-	4	28	-	7	13	37	11	100
McNairy	10	2,649	11	-	39	-	32	7	11	-	100
Madison	17	7,399	7	4	29	5	26	-	13	16	100
Obion	5	1,480	5	-	11	-	8	-	40	36	100
Shelby	16	10,773	15	-	18	1	15	12	26	13	100
Tipton	17	19,622	3	2	41	3	34	1	8	8	100
Weakley	4	1,141	33	7	2	5	38	-	13	2	100
All other	8	862	15	-	8	-	26	9	26	16	100
Total	230	146,130	7	8	25	3	18	2	27	10	100
<u>Illinois:</u>											
Total	1	-	-	-	-	-	-	-	85	15	100
<u>Kentucky:</u>											
Total	1	180	-	-	50	-	-	2	40	8	100
<u>Arkansas:</u>											
Crittenden	34	30,357	-	1	6	5	-	14	68	6	100
All other	1	573	-	-	-	-	-	-	75	25	100
Total	35	30,930	-	1	6	5	-	14	68	6	100
<u>Mississippi:</u>											
Alcorn	5	1,630	-	-	26	-	14	2	50	8	100
Benton	4	2,678	-	-	33	1	-	-	54	12	100
Calhoun	7	10,033	-	-	12	-	-	-	83	5	100
Chickasaw	5	6,085	-	-	35	10	7	-	40	8	100
De Soto 2/	6	5,222	-	-	45	1	-	-	52	2	100
Grenada 3/	3	4,870	-	4	43	6	-	-	47	-	100
Itawamba	4	2,431	-	-	28	-	-	1	54	17	100
Lafayette	3	3,478	-	4	37	2	-	-	53	4	100
Lee	7	4,539	-	2	20	10	4	-	58	6	100
Marshall	13	8,761	-	-	56	5	-	-	36	3	100
Monroe	11	12,704	-	1	68	2	-	-	26	3	100
Panola 2/	11	11,416	-	1	40	1	-	1	53	4	100
Pontotoc	7	5,525	-	-	25	-	2	2	70	1	100
Prentiss	8	3,260	-	-	28	-	4	1	55	12	100
Tate 3/	9	8,604	-	-	33	8	-	1	54	4	100
Tippah	7	5,076	-	*	28	-	4	19	39	10	100
Tishomingo	4	1,478	-	2	20	-	26	5	37	10	100
Union	5	2,480	-	-	36	-	*	3	59	2	100
Yalobusha	3	7,228	-	-	80	10	-	-	10	-	100
Total	122	107,498	-	1	41	4	2	1	48	3	100
<u>Classing Office Total</u>											
Office Total	389	284,738	4	4	29	3	10	3	40	7	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Greenwood Classing Office.

3/ A portion of this county is served by Greenwood Classing Office and is included in the data for "all other".

* Less than 0.5 percent.

Table 12. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Auburn M	Coker 100A	DPL 45A	McNair 1032	Rex Smooth Leaf	Stoneville 7A	Stoneville 213	Other <u>1/</u>	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Missouri:</u>											
Butler	4	1,226	-	-	-	-	-	34	64	2	100
Dunklin	32	22,426	30	5	10	4	3	10	34	4	100
Mississippi	9	2,722	2	-	25	-	-	20	41	12	100
New Madrid	23	10,054	21	-	9	-	3	10	55	2	100
Pemiscot	27	18,433	-	-	10	-	6	3	78	3	100
Scott	5	1,682	3	-	16	-	4	30	45	2	100
Stoddard	7	3,110	8	-	16	-	-	3	70	3	100
All other	1	435	-	12	-	-	6	20	50	12	100
Classing Office Total	108	60,088	15	2	11	1	4	9	54	4	100

1/ Includes small acreages planted to varieties other than those specified.

Table 13. Blytheville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Coker 413	Delfos	DPL Smooth Leaf	DPL 45	Rex Smooth Leaf	Stoneville 7A	Stoneville 213	Other <u>1/</u>	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Arkansas:</u>											
Clay <u>2/</u>	10	2,311	-	-	1	-	2	17	73	7	100
Craighead	28	22,820	1	-	3	2	3	38	49	4	100
Greene <u>2/</u>	12	6,380	-	-	-	-	-	14	80	6	100
Mississippi	51	54,255	8	2	1	1	7	47	31	3	100
Poinsett	20	17,787	-	-	3	1	-	22	69	5	100
Classing Office Total	121	103,553	4	1	2	1	4	38	46	4	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Little Rock Classing Office.

Table 14. Little Rock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Coker 413	Delfos 9169	DPL Smooth Leaf	DPL 16	DPL 45A	Stone- ville 7A	Stone- ville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Arkansas:</u>											
Arkansas	5	3,479	13	-	25	3	7	-	20	32	100
Ashley	6	27,891	-	-	27	4	12	3	54	-	100
Chicot	8	26,924	-	-	18	4	6	-	68	4	100
Clay 2/	5	2,388	14	-	-	-	-	46	40	-	100
Cross 3/	15	10,180	-	-	5	-	2	7	37	49	100
Desha	13	28,081	-	-	6	-	1	1	91	1	100
Drew	4	6,903	10	-	4	-	10	-	75	1	100
Greene 4/	-	-	-	-	-	-	-	-	-	-	-
Jackson	14	8,960	-	-	16	-	-	-	69	15	100
Jefferson	29	44,993	-	1	11	20	43	1	13	11	100
Lafayette	4	10,067	5	-	60	-	-	15	10	10	100
Lawrence	9	3,261	-	-	10	-	-	-	72	18	100
Lee	19	25,355	-	-	16	-	-	16	55	13	100
Lincoln	9	17,719	3	-	14	25	18	8	27	5	100
Lonoke	14	29,442	14	21	-	5	2	5	52	1	100
Miller	3	4,168	-	-	77	-	4	5	5	9	100
Monroe	11	17,830	4	-	53	9	13	-	21	-	100
Phillips	37	47,231	2	-	34	2	5	3	50	4	100
Pulaski	9	3,620	12	-	11	-	26	-	51	-	100
Randolph	5	1,685	-	-	20	-	-	5	59	16	100
St. Francis	24	21,407	-	-	2	18	3	5	63	9	100
White	6	1,335	-	-	79	-	-	-	18	3	100
Woodruff	11	10,344	-	-	11	-	8	1	80	-	100
Yell	3	3,106	-	-	-	-	11	-	85	4	100
All other	18	15,035	3	7	13	16	12	3	43	3	100
Classing Office Total	281	368,768	3	2	19	7	11	4	48	6	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Blytheville Classing Office.

3/ A portion of this county is served by Memphis Classing Office.

4/ Data for Greene County shown in Table 13, Blytheville Classing Office.

Table 15. Winnsboro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1968

State and Parish	Gins	1967 Ginnings	Coker 413	DPL Smooth Leaf	DPL 16	DPL 45A	Stone- ville 7A	Stone- ville 213	Stone- ville 508	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Louisiana:</u>											
Catahoula	4	11,904	-	50	-	8	12	30	-	-	100
Concordia	6	10,343	-	33	-	4	-	63	-	-	100
East Carroll	10	31,438	-	25	4	3	-	64	4	-	100
Franklin	16	53,227	7	43	-	-	6	42	2	-	100
Madison	6	12,714	1	39	-	-	-	60	-	-	100
Morehouse	8	38,915	-	5	1	24	-	66	-	4	100
Ouachita	6	18,093	-	27	67	3	-	-	-	3	100
Richland	13	50,459	4	48	5	3	-	37	3	-	100
Tensas	6	24,321	-	48	-	4	-	48	-	-	100
West Carroll	10	22,575	10	50	2	2	-	36	-	-	100
All other	2	6,387	5	30	5	30	-	30	-	-	100
Classing Office Total	87	280,376	3	36	6	6	2	45	1	1	100

1/ Includes small acreages planted to varieties other than those specified.

Table 16. Alexandria Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1968

State and Parish	Gins	1967 Ginnings	Coker 413	DPL Smooth Leaf	DPL 15A	DPL 16	DPL 45A	Stone- ville 7A	Stone- ville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Louisiana:</u>											
Acadia	3	4,053	-	65	-	-	-	15	20	-	100
Avoyelles	9	13,801	-	14	11	6	43	2	24	-	100
Bossier	8	11,580	-	22	-	47	10	6	13	2	100
Caddo	12	32,404	3	41	9	19	-	10	15	3	100
Evangeline	10	3,906	-	71	-	-	7	12	10	-	100
Lafayette	5	4,240	-	12	-	5	-	17	66	-	100
Natchitoches	8	16,987	3	60	-	4	24	-	7	2	100
Rapides	12	24,728	5	4	5	6	46	9	22	3	100
Red River	4	7,930	21	32	2	8	14	7	12	4	100
St. Landry	17	18,241	-	51	-	3	7	19	20	-	100
All other	9	10,716	-	49	*	3	17	10	21	*	100
Classing Office Total	97	148,586	3	35	4	11	18	9	18	2	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 17. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Dunn 56C	Lankart 57	Lankart 611	Lockett 4789	Northern Star #5	Paymaster 111	West-burn	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Oklahoma:</u>											
Beckham	12	22,417	3	42	5	14	1	12	6	17	100
Blaine	3	1,457	57	9	2	-	-	-	1	31	100
Caddo	15	18,324	9	57	3	7	-	8	-	16	100
Canadian	3	2,888	-	52	-	17	-	5	7	19	100
Comanche	3	547	-	40	11	-	14	17	-	18	100
Custer	4	7,985	15	56	7	3	-	1	16	2	100
Grady	5	6,119	-	80	13	3	-	4	-	-	100
Greer	7	10,771	6	52	-	22	-	-	2	18	100
Harmon	6	16,668	-	10	-	9	5	-	-	76	100
Jackson	12	20,627	5	31	-	14	-	-	2	48	100
Kiowa	8	8,064	5	69	11	4	-	2	-	9	100
Roger Mills	3	2,546	-	12	-	38	-	20	-	30	100
Tillman	12	21,851	2	61	-	22	-	-	5	10	100
Washita	10	22,231	12	51	2	12	-	7	16	-	100
All other	5	3,185	-	39	16	1	-	14	-	30	100
Total	108	165,680	6	47	3	14	1	4	5	20	100
<u>Texas:</u>											
Briscoe	7	14,707	2	-	17	-	-	50	-	31	100
Childress	4	17,250	-	35	-	26	22	-	-	17	100
Collingsworth	7	21,664	5	37	-	22	-	3	2	31	100
Cottle	6	14,725	-	35	-	22	18	-	-	25	100
Donley	3	6,930	-	45	-	25	-	15	-	15	100
Foard	3	4,282	-	33	-	60	-	-	-	7	100
Hall	12	43,475	-	54	-	12	10	9	-	15	100
Hardeman	5	9,057	-	25	23	21	-	1	1	29	100
Motley	4	9,253	-	4	15	8	28	16	-	29	100
Wheeler	7	8,003	-	36	20	2	6	10	-	26	100
Wilbarger	9	19,591	26	15	-	37	2	-	-	20	100
All other	4	6,963	-	68	-	12	6	-	-	14	100
Total	71	175,900	4	35	4	19	8	9	*	21	100
Classing Office Total	179	341,580	5	39	4	16	5	7	3	21	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 18. Dallas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	DPL Smooth Leaf	Lankart 57	Lankart 611	Lockett 4789	Parrot	Pay- master 111	Pay- master 202	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
Bowie	3	3,747	91	-	-	-	-	-	-	9	100
Collin	19	18,679	-	91	1	1	-	-	-	7	100
Delta	6	8,650	-	71	-	15	-	4	-	10	100
Denton	3	2,259	-	96	1	-	-	1	-	2	100
Ellis	25	32,476	-	81	8	11	-	-	-	-	100
Fannin	15	12,606	2	88	-	4	-	-	-	6	100
Grayson	6	6,152	-	84	2	6	-	-	-	8	100
Hill	19	34,689	-	97	-	2	-	-	-	1	100
Hunt	14	11,975	-	83	-	4	-	4	-	9	100
Johnson	6	8,077	-	96	-	1	-	-	-	3	100
Kaufman	5	4,839	-	94	-	-	-	2	-	4	100
Lamar	9	9,691	8	59	3	3	-	-	-	27	100
Navarro	10	14,053	-	85	-	14	-	-	-	1	100
Red River	4	4,403	6	21	14	8	-	-	-	51	100
Rockwall	5	2,726	-	46	28	12	-	1	-	13	100
Tarrant	3	2,434	-	98	-	1	-	-	-	1	100
All other	19	9,545	-	68	24	2	1	-	-	5	100
Total	171	187,001	3	81	4	5	*	1	-	6	100
<u>Oklahoma:</u>											
Bryan	4	2,723	-	23	-	16	22	4	-	35	100
Muskogee	5	4,501	61	26	1	-	1	-	-	11	100
All other	24	16,692	16	22	16	6	11	3	13	13	100
Total	33	23,916	23	23	11	6	10	3	9	15	100
Classing Office Total	204	210,917	5	75	4	6	1	1	1	7	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 19. Austin Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Anton 99	DPL 16	DPL Smooth Leaf	Lankart 57	Stoneville 7A	Stoneville 213	TPSA 110	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:											
Austin	9	5,867	3	-	9	6	32	44	-	6	100
Bastrop	3	1,737	5	-	-	89	-	-	-	6	100
Bell	14	11,750	-	-	-	89	-	-	-	11	100
Brazoria	5	10,246	-	1	63	-	11	20	-	5	100
Brazos	5	16,390	-	13	43	-	5	37	-	2	100
Burleson	8	12,501	1	1	11	5	10	67	-	5	100
Caldwell	4	1,864	53	-	-	7	-	-	23	17	100
Colorado	3	4,378	12	-	8	9	21	44	-	6	100
Coryell	3	3,395	-	-	-	94	-	-	-	6	100
Falls	9	7,518	4	-	9	59	-	19	-	9	100
Fayette	5	2,392	16	-	-	56	-	-	8	20	100
Fort Bend	16	30,700	-	3	46	-	17	28	-	6	100
Grimes	3	1,490	-	-	54	16	-	5	14	11	100
Guadalupe	5	1,065	10	-	-	38	-	-	8	44	100
Hays	3	926	13	-	-	40	-	-	9	38	100
Houston	3	7,220	-	-	4	1	76	12	-	7	100
Lavaca	7	2,850	5	-	-	86	-	-	2	7	100
McCulloch	4	2,578	-	-	-	25	-	-	-	75	100
McLennan	14	20,066	6	-	-	87	-	-	-	7	100
Milam	8	8,288	4	-	-	78	-	-	3	15	100
Robertson	5	23,913	-	1	11	-	-	85	-	3	100
Travis	6	4,340	8	-	-	70	-	-	1	21	100
Washington	5	3,630	6	-	17	13	23	23	7	11	100
Williamson	31	29,209	-	-	-	57	-	-	15	28	100
Zavala	3	6,128	-	7	88	-	-	-	-	5	100
All other	22	12,901	2	10	43	32	1	-	-	12	100
Classing Office Total	203	233,342	2	2	20	32	8	23	3	10	100

1/ Includes small acreages planted to varieties other than those specified.

Table 20. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	DPL Smooth Leaf	Lankart 57	Lankart 611	Stoneville 7A	Stoneville 213	Stoneville 508	TPSA 110	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:											
Bee	3	2,326	-	13	40	11	8	-	9	19	100
Calhoun	5	8,132	26	-	-	11	24	19	12	8	100
Jackson	5	6,134	24	-	-	24	2	-	8	42	100
Jim Wells	4	3,858	-	19	34	3	-	-	-	44	100
Karnes	5	2,152	-	54	15	-	-	-	6	25	100
Matagorda	7	8,042	58	-	-	23	14	-	-	5	100
Nueces	26	42,492	-	-	2	43	25	12	1	17	100
Refugio	4	7,869	-	-	7	57	24	3	3	6	100
San Patricio	19	44,316	1	5	35	38	15	1	-	5	100
Victoria	8	8,768	4	8	1	18	21	1	20	27	100
Wharton	19	38,666	12	-	-	58	16	2	-	12	100
All other	6	4,234	20	10	4	30	28	-	2	6	100
Classing Office Total	111	176,989	9	3	12	40	19	5	2	10	100

1/ Includes small acreages planted to varieties other than those specified.

Table 21. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Coker 413	DPL Smooth Leaf	Lockett	Stone-ville 7A	Stone-ville 213	Stone-ville 508	TPSA 110	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
Cameron	35	121,404	4	3	-	61	19	2	4	7	100
Hidalgo	27	134,171	8	-	1	56	20	5	5	5	100
Willacy	11	55,139	3	-	4	65	21	3	3	1	100
All other	2	5,378	4	-	13	19	44	-	-	20	100
Classing Office Total	75	316,092	6	1	1	60	20	3	4	5	100

1/ Includes small acreages planted to varieties other than those specified.

Table 22. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Acala 1517 BR2	Dunn 56C	Lankart 57	Lankart 611	Lankart 3840	Lockett 4789	Western Storm-proof	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
Baylor	3	6,237	-	-	82	-	11	-	-	7	100
Coleman	3	4,270	-	-	37	6	6	10	13	28	100
Dickens 2/	5	17,118	-	3	34	21	-	3	-	39	100
Fisher	8	32,920	-	3	29	6	4	3	30	25	100
Haskell	12	45,078	-	1	54	1	10	-	-	34	100
Howard 2/	9	15,381	-	7	-	2	-	60	-	31	100
Jones	16	39,982	-	16	40	24	9	4	-	7	100
Knox	8	21,215	-	-	25	-	10	14	-	51	100
Martin 3/	7	16,811	34	-	-	-	-	47	6	13	100
Midland	3	11,025	28	-	2	-	-	53	-	17	100
Mitchell	7	18,254	-	6	16	31	4	18	20	5	100
Nolan	6	9,886	-	8	13	10	-	-	58	11	100
Runnels	12	23,678	-	9	44	3	11	27	-	6	100
Scurry	8	23,786	-	3	9	4	-	9	34	41	100
Taylor	5	5,244	-	-	53	27	13	7	-	-	100
Tom Green	7	9,586	-	13	50	-	10	23	-	4	100
All other	12	5,356	1	6	53	16	1	12	6	5	100
Classing Office Total	131	305,827	3	5	33	10	6	16	10	17	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Lubbock Classing Office and is included in the data for "all other".

3/ A portion of this county is served by Lubbock Classing Office.

Table 23. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Acala 1517 BR2	Acala 1517V	Del Cerro	Dunn 56C	Lockett 4789	Pay-master 101A	Pay-master 111	Other <u>1/</u>	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Texas:</u>											
Bailey	20	47,047	1	-	-	1	7	4	10	77	100
Castro	15	17,585	-	-	-	1	-	6	23	70	100
Cochran	15	31,463	-	2	-	4	5	1	26	62	100
Crosby	20	98,544	6	34	1	6	15	-	20	18	100
Dawson	25	75,981	3	-	15	28	11	-	30	13	100
Deaf Smith	3	3,651	-	-	-	-	-	10	5	85	100
Floyd	22	69,623	1	-	-	11	5	3	72	8	100
Gaines	17	55,729	40	-	3	14	5	-	30	8	100
Garza	6	12,219	18	18	-	12	6	-	34	12	100
Hale	35	86,600	1	20	-	2	1	13	50	13	100
Hockley	35	118,095	1	6	1	1	-	-	50	41	100
Lamb	32	63,921	-	-	-	2	1	23	48	26	100
Lubbock	40	162,165	15	23	11	3	4	-	23	21	100
Lynn	25	102,230	6	15	8	4	26	-	22	19	100
Martin <u>2/</u>	4	6,252	-	-	-	5	43	-	19	33	100
Parmer	16	22,212	-	-	-	-	-	22	51	27	100
Swisher	13	30,145	-	-	-	-	-	31	30	39	100
Terry	21	86,755	4	-	13	4	-	2	60	17	100
Yoakum	9	31,086	52	-	2	3	1	-	16	26	100
All other	5	9,811	4	-	-	39	2	11	24	20	100
Total	378	1,131,114	9	11	5	6	6	4	37	22	100
<u>New Mexico:</u>											
Roosevelt	5	5,615	18	4	-	-	-	7	12	59	100
All other	1	1,178	43	-	-	-	-	-	-	57	100
Total	6	6,793	23	3	-	-	-	6	10	58	100
Classing Office Total	384	1,137,907	8	10	5	6	6	4	35	26	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Abilene Classing Office.

Table 24. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517 Stroman Select	Del Cerro	DPL Smooth Leaf	Hopicala	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
El Paso	11	38,101	58	12	27	*	-	-	3	-	100
Hudspeth	3	11,530	73	9	5	7	3	-	3	*	100
All other	3	7,351	70	*	5	-	-	16	2	7	100
Total	17	56,982	62	10	20	1	1	2	3	1	100
<u>New Mexico:</u>											
Dona Ana	13	38,022	10	16	40	12	3	-	18	1	100
Luna	4	15,972	17	33	34	5	1	-	3	7	100
All other	4	6,466	23	15	59	3	-	-	*	-	100
Total	21	60,460	13	20	42	9	2	-	12	2	100
<u>Arizona:</u>											
Cochise	6	14,694	32	51	11	6	*	-	*	-	100
All other	3	11,590	39	57	4	-	-	-	-	-	100
Total	9	26,284	35	54	8	3	*	-	*	-	100
Classing Office Total	47	143,726	37	22	27	5	1	1	6	1	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 25. Carlsbad Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Acala 1517 BR1	Acala 1517 BR2	Acala 1517C	Acala 1517D	Acala 1517V	Hopicala	Stoneville 7A	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>New Mexico:</u>											
Chaves	8	21,515	-	3	25	39	33	-	-	-	100
Eddy	8	31,575	-	17	19	28	35	*	1	*	100
Lea	7	16,835	-	68	-	-	25	-	-	7	100
All other	1	1,242	-	-	-	-	-	-	-	-	-
Total	24	71,167	-	26	17	25	31	*	*	1	100
<u>Texas:</u>											
Glasscock	3	12,820	28	46	2	-	8	-	3	13	100
Pecos	7	22,152	-	6	86	-	-	7	*	1	100
Reeves	13	61,906	-	-	73	3	5	12	3	4	100
Total	23	96,878	4	7	67	2	4	9	3	4	100
Classing Office Total	47	168,045	2	15	46	11	16	5	2	3	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 26. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Acala SJ-1	Del Cerro	Delta-pine 16	Delta-pine Smooth Leaf	Hopi-cala	Stone-ville 213	Stone-ville 508	Other <u>1/</u>	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Arizona:</u>											
Maricopa	42	160,430	*	4	82	2	8	-	1	3	100
Pima	7	24,686	4	-	47	-	36	2	1	10	100
Pinal	43	156,662	2	-	69	12	4	6	5	2	100
Yuma <u>2/</u>	4	15,313	-	-	75	13	10	-	-	2	100
Classing Office Total	96	357,091	1	2	73	7	8	3	3	3	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by El Centro Classing Office.

* Less than 0.5 percent.

Table 27. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Acala SJ-1	Acala 4-42	---	---	---	---	---	---	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>California:</u>											
Fresno	73	313,780	95	5	-	-	-	-	-	-	100
Kings <u>1/</u>	8	36,275	99	1	-	-	-	-	-	-	100
Madera	13	52,601	99	1	-	-	-	-	-	-	100
Merced	10	45,858	98	2	-	-	-	-	-	-	100
Tulare <u>1/</u>	9	28,537	87	13	-	-	-	-	-	-	100
Classing Office Total	113	477,051	96	4	-	-	-	-	-	-	100

1/ A portion of this county is served by Bakersfield Classing Office.

Table 28. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	Acala SJ-1	Acala 4-42	Acala 1517C	Acala 1517D	Acala 1517V	---	---	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>California:</u>										
Kern	58	260,806	94	6	-	-	-	-	-	100
Kings <u>1/</u>	16	102,656	100	*	-	-	-	-	-	100
Tulare <u>1/</u>	29	117,808	99	1	-	-	-	-	-	100
Total	103	481,270	96	4	-	-	-	-	-	100
<u>Nevada:</u>										
Total	1	3,950	12	-	8	7	73	-	-	100
Classing Office Total	104	485,220	96	3	*	*	1	-	-	100

1/ A portion of this county is served by Fresno Classing Office.

* Less than 0.5 percent.

Table 29. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1968

State and County	Gins	1967 Ginnings	DPL 16	DPL Smooth Leaf	Imperial Acala	Stone-ville 7A	Stone-ville 213	Stone-ville 508	Thunder IV	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>California:</u>										
Imperial	18	65,699	66	17	6	*	1	10	*	100
Riverside	8	32,133	84	8	-	-	-	8	-	100
Total	26	97,832	72	14	4	*	1	9	*	100
<u>Arizona:</u>										
Yuma <u>1/</u>	11	31,985	82	16	*	-	-	2	-	100
Total	11	31,985	82	16	*	-	-	2	-	100
Classing Office Total	37	129,817	75	15	3	*	*	7	*	100

1/ A portion of this county is served by Phoenix Classing Office.

* Less than 0.5 percent.

Table 30. Estimated percentage of American-Egyptian cotton acreage planted to specified varieties, by states, 1964-1968

State and Year	A-E ginnings	Pima S-1	Pima S-2	Pima S-3	Pima S-4	Pima Stroman Select	Other ^{1/}	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
Arizona								
1964	54,603	1	99	-	-	-	-	100
1965	44,833	5	95	-	-	-	-	100
1966	36,176	3	95	1	1	-	-	100
1967	34,416	1	53	9	37	-	-	100
1968	-	-	18	9	73	-	-	100
California								
1964	1,200	-	100	-	-	-	-	100
1965	910	-	100	-	-	-	-	100
1966	585	-	100	-	-	-	-	100
1967	402	-	80	-	20	-	-	100
1968	-	-	-	-	100	-	-	100
New Mexico								
1964	14,445	38	61	-	-	-	1	100
1965	8,437	45	51	-	-	2	2	100
1966	8,639	34	57	3	-	6	-	100
1967	6,521	19	46	20	-	15	-	100
1968	-	11	41	37	4	6	1	100
Texas								
1964	46,435	25	74	-	-	-	1	100
1965	31,404	31	66	-	-	-	3	100
1966	25,754	29	66	5	-	-	-	100
1967	26,983	14	63	23	-	-	-	100
1968	-	6	62	23	8	-	1	100
United States								
1964	116,683	14	85	-	-	-	1	100
1965	85,584	21	78	-	-	*	1	100
1966	71,154	16	80	2	1	1	-	100
1967	68,322	8	56	15	19	2	*	100
1968	-	3	38	17	41	1	*	100

^{1/} Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 31. Estimated percentage of American-Egyptian cotton acreage planted to specified varieties, by classing office territories, crop of 1968

Classing office territory and County	Gins	1967 A-E ginnings	Pima S-1	Pima S-2	Pima S-3	Pima S-4	Stroman Select Pima S-2	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>El Centro territory</u>									
<u>California:</u>									
Riverside	1	402	-	-	-	100	-	-	100
Total	1	402	-	-	-	100	-	-	100
<u>El Paso territory</u>									
<u>Arizona:</u>									
Graham	3	8,990	-	27	33	40	-	-	100
<u>New Mexico:</u>									
Dona Ana	6	6,521	11	41	37	4	6	1	100
<u>Texas:</u>									
El Paso	9	20,172	6	57	25	11	-	1	100
Hudspeth	2	718	31	31	37	1	-	-	100
Total	20	36,401	6	47	29	17	1	*	100
<u>Carlsbad territory</u>									
<u>Texas:</u>									
Reeves	2	6,093	-	85	15	-	-	-	100
Total	2	6,093	-	85	15	-	-	-	100
<u>Phoenix territory</u>									
<u>Arizona:</u>									
Maricopa	8	13,244	-	-	-	100	-	-	100
Pima	3	4,194	-	76	-	24	-	-	100
Pinal	5	7,988	-	9	-	91	-	-	100
Total	16	25,426	-	15	-	85	-	-	100

1/ Includes small acreages planted to varieties other than those specified.
 * Less than 0.5 percent.

NATIONAL AGRICULTURAL LIBRARY



1022919554

